

# FASTENERS



Dowel Pins . . . . .	446
Maintenance Kits . . . . .	447
Metric Button Head Cap Screws . . . . .	445
Metric Flat Head Cap Screws . . . . .	445
Metric Socket Head Cap Screws . . . . .	445
Socket Button Head Cap Screws . . . . .	441
Socket Flat Head Cap Screws . . . . .	444
Socket Head Cap Screws . . . . .	438-440
Socket Head Shoulder Screws . . . . .	441
Socket Set Screws - Cup Point . . . . .	442-443

# Socket Head Cap Screws — 1960 Series

Alloy Steel Heat Treated - Class 3A Thread Fit Standard - Complete Traceability



CAMCAR					
ALLOY STEEL			TORX		
LENGTH UNDER HEAD	QTY PER BOX	ORDER NO.	PRICE PER BOX	ORDER NO.	PRICE PER BOX
0-80 UNF .050 hex					
1/8	100	4411-035	\$24.30	-	-
3/16	100	4411-038	24.37	-	-
1/4	100	4411-041	24.56	-	-
3/8	100	4411-044	24.72	-	-
1-72 UNF 1/16" hex					
1/8	100	4411-047	24.37	-	-
3/16	100	4411-050	24.56	-	-
1/4	100	4411-053	24.63	-	-
3/8	100	4411-056	24.97	-	-
2-56 UNC 5/64" hex					
3/16	100	4410-003	23.52	-	-
1/4	100	4410-006	23.70	-	-
3/8	100	4410-012	23.95	-	-
1/2	100	4410-015	24.12	-	-
3-48 UNC 5/64" hex					
3/16	100	4410-024	23.44	-	-
1/4	100	4410-027	23.95	-	-
3/8	100	4410-030	24.55	-	-
1/2	100	4410-033	24.80	-	-
4-40 UNC 3/32" hex					
3/16	100	4410-040	12.68	-	-
1/4	100	4410-042	12.08	4430-042	\$12.08
5/16	100	4410-043	12.26	-	-
3/8	100	4410-048	12.34	4430-048	12.34
1/2	100	4410-054	12.59	4430-054	12.59
5/8	100	4410-057	12.68	4430-057	12.68
3/4	100	4410-060	13.01	4430-060	13.01
7/8	100	4410-061	15.12	-	-
1	100	4410-062	15.70	-	-
1-1/4	100	4410-065	28.64	-	-
1-1/2	100	4410-068	31.74	-	-
5-40 UNC 3/32" hex					
1/4	100	4410-078	12.18	4430-078	12.18
3/8	100	4410-084	12.26	4430-084	12.26
1/2	100	4410-090	12.76	4430-090	12.76
5/8	100	4410-093	12.85	-	-
3/4	100	4410-096	13.10	-	-
1	100	4410-099	20.48	-	-
6-32 UNC 7/64" hex					
1/4	100	4410-108	12.26	4430-108	12.26
3/8	100	4410-114	12.43	4430-114	12.43
1/2	100	4410-120	12.59	4430-120	12.59
5/8	100	4410-123	13.01	4430-123	13.01
3/4	100	4410-126	13.43	4430-126	13.43
7/8	100	4410-129	14.78	-	-
1	100	4410-132	16.29	4430-132	16.29
1-1/4	100	4410-133	18.80	-	-
1-1/2	100	4410-136	20.57	-	-
1-3/4	100	4410-139	21.83	-	-
2	100	4410-141	23.34	-	-
6-40 UNF 7/64" hex					
1/4	100	4411-062	14.19	-	-
3/8	100	4411-068	14.36	-	-
1/2	100	4411-074	14.61	-	-
5/8	100	4411-077	15.86	-	-
3/4	100	4411-080	17.87	-	-

CAMCAR					
ALLOY STEEL			TORX		
LENGTH UNDER HEAD	QTY PER BOX	ORDER NO.	PRICE PER BOX	ORDER NO.	PRICE PER BOX
8-32 UNC 9/64" hex					
1/4	100	4410-156	\$12.00	4430-156	\$12.00
5/16	100	4410-165	12.18	-	-
3/8	100	4410-162	12.34	4430-162	12.34
1/2	100	4410-168	12.68	4430-168	12.68
5/8	100	4410-174	12.76	4430-174	12.76
3/4	100	4410-177	14.11	4430-177	14.11
7/8	100	4410-180	14.78	4430-180	14.78
1	100	4410-186	16.54	4430-186	16.54
1-1/4	100	4410-192	18.14	4430-192	18.14
1-1/2	100	4410-198	19.64	4430-198	19.64
1-3/4	100	-	-	-	-
2	100	4410-201	24.35	-	-
2-1/2	100	4410-208	27.12	-	-
8-36 UNF 9/64" hex					
3/8	100	4411-089	18.47	-	-
1/2	100	4411-092	18.80	-	-
3/4	100	4411-095	21.25	-	-
10-24 UNC 5/32" hex					
1/4	100	4410-210	16.70	-	-
3/8	100	4410-216	12.43	4430-216	12.43
1/2	100	4410-219	12.68	4430-219	12.68
5/8	100	4410-225	13.10	4430-225	13.10
3/4	100	4410-228	14.02	4430-228	14.02
7/8	100	4410-231	15.20	4430-231	15.20
1	100	4410-234	16.54	4430-234	16.54
1-1/4	100	4410-240	17.96	4430-240	17.96
1-1/2	100	4410-246	20.06	4430-246	20.06
1-3/4	100	4410-249	22.08	-	-
2	100	4410-255	23.93	4430-255	23.93
2-1/4	100	4410-258	26.03	-	-
2-1/2	100	4410-260	27.07	-	-
3	100	4410-262	36.01	-	-
10-32 UNF 5/32" hex					
1/4	100	4411-105	17.37	-	-
3/8	100	4411-107	12.68	4431-107	12.68
1/2	100	4411-113	12.85	4431-113	12.85
5/8	100	4411-119	13.76	4431-119	13.76
3/4	100	4411-122	14.36	4431-122	14.36
7/8	100	4411-125	16.46	4431-125	16.46
1	100	4411-128	16.88	4431-128	16.88
1-1/4	100	4411-134	18.81	4431-134	18.81
1-1/2	100	4411-137	21.08	4431-137	21.08
1-3/4	100	4411-140	23.00	4431-140	23.00
2	100	4411-143	25.60	4431-143	25.60
2-1/4	100	4411-145	28.21	-	-
2-1/2	100	4411-147	30.22	-	-
3	100	4411-150	39.90	-	-
1/4-20 UNC 3/16" hex					
1/4	100	4410-265	15.95	-	-
3/8	100	4410-267	13.10	4430-267	13.10
1/2	100	4410-270	13.43	4430-270	13.43
5/8	100	4410-273	13.94	4430-273	13.94

# Socket Head Cap Screws— 1960 Series

Alloy Steel Heat Treated - Class 3A Thread Fit Standard - Complete Traceability



3

CAMCAR					
ALLOY STEEL			TORX		
LENGTH UNDER HEAD	QTY PER BOX	ORDER NO.	PRICE PER BOX	ORDER NO.	PRICE PER BOX
1/4-20 UNC 3/16" hex				30IP	
3/4	100	4410-276	\$15.12	4430-276	\$15.12
7/8	100	4410-279	16.29	4430-279	16.29
1	100	4410-282	17.30	4430-282	17.30
1-1/4	100	4410-291	18.55	4430-291	18.55
1-1/2	100	4410-294	20.99	4430-294	20.99
1-3/4	100	4410-300	22.96	4430-300	22.96
2	100	4410-306	24.85	4430-306	24.85
2-1/4	100	4410-309	31.07	4430-309	31.07
2-1/2	100	4410-312	34.51	4430-312	34.51
2-3/4	100	4410-315	41.73	4430-315	41.73
3	100	4410-318	46.17	4430-318	46.17
3-1/4	100	4410-319	49.20	-	-
3-1/2	100	4410-320	58.02	-	-
3-3/4	100	-	-	-	-
4	100	4410-322	76.91	-	-
1/4-28 UNF 3/16" hex				30IP	
1/4	100	-	-	-	-
3/8	100	4411-161	14.69	4431-161	14.69
1/2	100	4411-164	15.02	4431-164	15.02
5/8	100	4411-170	15.28	4431-170	15.28
3/4	100	4411-176	16.54	4431-176	16.54
7/8	100	4411-179	18.30	-	-
1	100	4411-182	19.40	4431-182	19.40
1-1/4	100	4411-188	21.32	4431-188	21.32
1-1/2	100	4411-191	23.60	4431-191	23.60
1-3/4	100	4411-194	26.03	4431-194	26.03
2	100	4411-200	28.46	4431-200	28.46
2-1/4	100	4411-203	34.93	-	-
2-1/2	100	-	-	-	-
3	100	-	-	-	-
4	100	-	-	-	-
5/16-18 UNC 3/16" hex				45IP	
3/8	100	4410-348	22.16	4430-348	22.16
1/2	100	4410-351	17.12	4430-351	17.12
5/8	100	4410-354	17.88	4430-354	17.88
3/4	100	4410-357	18.47	4430-357	18.47
7/8	100	4410-360	20.23	4430-360	20.23
1	100	4410-363	20.74	4430-363	20.74
1-1/4	100	4410-369	23.25	4430-369	23.25
1-1/2	100	4410-372	24.68	4430-372	24.68
1-3/4	100	4410-375	27.71	4430-375	27.71
2	100	4410-381	29.89	4430-381	29.89
2-1/4	100	4410-387	36.94	4430-387	36.94
2-1/2	100	4410-393	40.38	4430-393	40.38
2-3/4	100	4410-396	54.99	4430-396	54.99
3	100	4410-399	63.30	4430-399	63.30
3-1/4	100*	4410-402	78.92	-	-
3-1/2	100*	4410-405	86.98	4430-405	86.98
4	100*	4410-410	91.35	-	-
4-1/2	100	4410-413	102.60	-	-
5	100	4410-416	144.49	-	-
5/16-24 UNF 3/16" hex				45IP	
1/2	100	4411-221	18.30	-	-
5/8	100	4411-224	19.14	-	-
3/4	100	4411-227	20.41	4431-227	20.41
7/8	100	4411-230	22.50	4431-230	22.50
1	100	4411-233	22.92	4431-233	22.92
1-1/4	100	4411-239	24.26	4431-239	24.26
1-1/2	100	4411-242	27.12	4431-242	27.12
1-3/4	100	4411-248	29.89	-	-
2	100	4411-254	32.91	-	-
2-1/4	100	4411-257	38.95	-	-
2-1/2	100	4411-260	45.17	-	-

CAMCAR					
ALLOY STEEL			TORX		
LENGTH UNDER HEAD	QTY PER BOX	ORDER NO.	PRICE PER BOX	ORDER NO.	PRICE PER BOX
3/8-16 UNC 5/16" hex				50IP	
1/2	100	4410-435	\$21.08	4430-435	\$21.08
5/8	100	4410-438	21.74	4430-438	21.74
3/4	100	4410-441	22.25	4430-441	22.25
7/8	100	4410-444	24.35	4430-444	24.35
1	100	4410-447	25.19	4430-447	25.19
1-1/4	100	4410-450	27.12	4430-450	27.12
1-1/2	50	4410-456	14.95	4430-456	14.95
1-3/4	50	4410-459	17.05	4430-459	17.05
2	50	4410-462	18.39	4430-462	18.39
2-1/4	50	4410-465	23.01	4430-465	23.01
2-1/2	50	4410-468	25.02	4430-468	25.02
2-3/4	50	4410-471	34.13	4430-471	34.13
3	50	4410-474	37.28	4430-474	37.28
3-1/4	50	4410-477	44.66	4430-477	44.66
3-1/2	50	4410-483	50.84	4430-483	50.84
4	50	4410-489	60.03	4430-489	60.03
4-1/2	50	4410-495	71.91	-	-
5	50	4410-501	85.97	-	-
5-1/2	50	-	-	-	-
6	50	4410-510**	24.04	-	-
3/8-24 UNF 5/16" hex				50IP	
1/2	100	4411-275	25.24	-	-
5/8	100	4411-278	25.95	-	-
3/4	100	4411-281	26.44	4431-281	26.44
7/8	100	4411-284	28.54	-	-
1	100	4411-287	29.05	4431-287	29.05
1-1/4	100	4411-290	31.40	4431-290	31.40
1-1/2	50	4411-293	34.33	4431-293	17.17
1-3/4	50	4411-296	19.69	4431-296	19.69
2	50	4411-299	21.62	4431-299	21.62
2-1/4	50	4411-302	27.62	-	-
2-1/2	50	4411-305	30.22	-	-
3	50	4411-308	40.97	-	-
3-1/2	50	-	-	-	-
4	50	-	-	-	-
5	50	-	-	-	-
7/16-14 UNC 3/8" hex				55IP	
1/2	100	4410-517	45.59	-	-
5/8	100	4410-518	46.26	-	-
3/4	100	4410-519	47.35	-	-
7/8	100	4410-521	50.71	-	-
1	100	4410-525	52.05	4430-525	52.05
1-1/4	100*	4410-528	56.33	4430-528	56.33
1-1/2	100*	4410-531	61.80	4430-531	61.80
1-3/4	100*	4410-537	68.26	-	-
2	50	4410-540	36.86	-	-
2-1/4	50	4410-543	40.84	-	-
2-1/2	50	4410-546	43.24	-	-
2-3/4	25	4410-549	24.91	-	-
3	25	4410-552	26.87	-	-
3-1/4	25	-	-	-	-
3-1/2	25	4410-558	31.09	-	-
4	25	4410-564	34.49	-	-
4-1/2	25	-	-	-	-
5	25	-	-	-	-
7/16-20 UNF 3/8" hex					
1	100	4411-326	57.34	-	-
1-1/4	100*	4411-329	61.38	-	-
1-1/2	100*	4411-332	69.10	-	-
2	50	4411-338	40.34	-	-

# Socket Head Cap Screws— 1960 Series

3

Alloy Steel Heat Treated - Class 3A Thread Fit Standard - Complete Traceability



CAMCAR					
ALLOY STEEL			TORX		
LENGTH UNDER HEAD	QTY PER BOX	ORDER NO.	PRICE PER BOX	ORDER NO.	PRICE PER BOX
1/2-13 UNC 3/8" hex				55IP	
1/2	50	4410-573	\$31.40	4430-573	\$31.40
5/8	50	4410-576	32.87	4430-576	32.87
3/4	50	4410-579	28.56	4430-579	28.56
7/8	50	4410-582	29.09	-	-
1	50	4410-585	29.30	4430-585	29.30
1-1/4	50	4410-588	30.39	4430-588	30.39
1-1/2	25	4410-591	17.21	4430-591	34.42
1-3/4	25	4410-594	19.06	4430-594	38.12
2	25	4410-597	20.23	4430-597	40.47
2-1/4	25	4410-600	22.98	4430-600	22.98
2-1/2	25	4410-606	24.58	4430-606	24.58
2-3/4	25	4410-609	28.29	4430-609	28.29
3	25	4410-612	30.04	4430-612	30.04
3-1/4	25	4410-618	32.83	4430-618	32.83
3-1/2	25	4410-621	34.80	4430-621	34.80
4	25	4410-627	41.85	4430-627	41.85
4-1/2	25	4410-633	49.07	-	-
5	25	4410-639	54.45	-	-
5-1/2	25	4410-645	60.47	-	-
6	25	4410-654	64.54	-	-
6-1/2	10	4410-657	40.24	-	-
7	10	4410-660	45.88	-	-
8	10	4410-663	57.24	-	-

CAMCAR					
ALLOY STEEL			TORX		
LENGTH UNDER HEAD	QTY PER BOX	ORDER NO.	PRICE PER BOX	ORDER NO.	PRICE PER BOX
1/2-20 UNF 3/8" hex					
1	50	4411-356	\$29.93	-	-
1-1/4	50	4411-359	34.04	-	-
1-1/2	25	4411-362	36.65	-	-
1-3/4	25	4411-365	20.17	-	-
2	25	4411-368	21.64	-	-
2-1/4	25	4411-371	24.20	-	-
2-1/2	25	4411-374	25.46	-	-
3	25	4411-377	32.60	-	-
5/8-11 UNC 1/2" hex					
1	25	-	-	-	-
1-1/4	50	4410-672	62.19	-	-
1-1/2	50	4410-678	66.77	-	-
1-3/4	50	4410-681	71.17	-	-
2	50	4410-684	75.64	-	-
2-1/4	25	4410-687	40.59	-	-
2-1/2	25	4410-690	42.19	-	-
2-3/4	25	4410-693†	40.67	-	-
3	25	4410-696	49.61	-	-
3-1/4	25	-	-	-	-
3-1/2	25	4410-702	54.51	-	-
3/4-10 UNC 5/8" hex					
2	25	4410-753	72.30	-	-
2-1/2	25	4410-759	79.13	-	-
3	25	4410-765	99.46	-	-

† Limited Quantities

**See our selection of Tools:**

- Hex Bit Sockets: Page 345, 348**
- Hex Keys: Pages 386-387**
- Balldrivers: Pages 384-385**
- Torx® Bit Sockets: Pages 345, 348**
- Torx®: Pages 380-383**
- TorxPlus®: Page 380**
- Fastener Drive Tools: Pages 378-379**


# Socket Head Shoulder Screws

Alloy Steel Heat Treated—  
Class 3A Thread Fit Standard—  
Complete Traceability



# Socket Button Head Cap Screws

Alloy Steel Heat Treated—  
Class 3A Thread Fit Standard —  
Complete Traceability



CAMCAR			
ALLOY STEEL			
LENGTH UNDER HEAD	QTY PER BOX	ORDER NO.	PRICE PER BOX
<b>1/4 UNC 1/8" hex</b>			
1/4	25	4413-755	\$23.78
3/8	25	4413-759	20.80
1/2	25	4413-762	21.01
5/8	25	4413-765	21.83
3/4	25	4413-768	22.48
1	25	4413-771	23.44
1-1/4	25	4413-774	25.42
1-1/2	25	4413-777	26.40
2	25	4413-780	31.46
<b>5/16 UNC 5/32" hex</b>			
1/4	25	4413-793	29.26
3/8	25	4413-795	24.64
1/2	25	4413-798	24.89
5/8	25	4413-801	25.36
3/4	25	4413-804	25.86
1	25	4413-810	26.49
1-1/4	25	4413-813	29.13
1-1/2	25	4413-816	30.16
1-3/4	25	4413-819	31.82
2	25	4413-822	32.09
<b>3/8 UNC 3/16" hex</b>			
1/4	25	4413-834	36.86
3/8	25	4413-837	28.06
1/2	25	4413-840	28.44
5/8	25	4413-843	28.69
3/4	25	4413-846	29.22
1	25	4413-849	29.43
1-1/4	25	4413-852	31.23
1-1/2	25	4413-855	32.09
1-3/4	25	4413-858	33.04
2	25	4413-861	35.51
2-1/4	25	4413-864	37.38
2-1/2	25	4413-867	41.20
2-3/4	25	4413-870	43.55
3	25	4413-873	45.86
3-1/4	25	4413-876	52.18
3-1/2	25	4413-879	56.69
3-3/4	25	4413-882	64.73
4	25	4413-885	65.86
<b>1/2 UNC 1/4" hex</b>			
3/8	25	4413-889	53.36
1/2	25	4413-891	45.36
5/8	25	4413-894	47.39
3/4	25	4413-897	47.65
1	25	4413-900	47.90
1-1/4	25	4413-903	49.13
1-1/2	25	4413-906	50.23
1-3/4	25	4413-909	53.10
2	25	4413-912	55.71
2-1/4	25	4413-915	58.41
2-1/2	25	4413-918	60.32

CAMCAR			
ALLOY STEEL			
LENGTH UNDER HEAD	QTY PER BOX	ORDER NO.	PRICE PER BOX
<b>1/2 UNC 1/4" hex</b>			
2-3/4	25	4413-921	\$63.91
3	25	4413-924	67.73
3-1/4	25	4413-927	75.27
3-1/2	25	4413-930	80.70
3-3/4	25	4413-933	90.42
4	25	4413-936	92.67
4-1/4	25	4413-939	109.61
4-1/2	10	4413-942	44.60
4-3/4	10	4413-945	48.95
5	10	4413-948	50.30
<b>5/8 UNC 5/16" hex</b>			
3/4	25	4413-956	91.00
1	25	4413-958	107.12
1-1/4	25	4413-960	77.38
1-1/2	25	4413-963	81.89
1-3/4	25	4413-966	83.92
2	25	4413-969	86.97
2-1/4	25	4413-972	96.30
2-1/2	25	4413-975	102.99
2-3/4	25	4413-978	107.19
3	25	4413-981	107.71
3-1/4	25	4413-984	137.94
3-1/2	25	4413-987	154.28
3-3/4	10	4413-990	69.87
4	10	4413-993	73.07
4-1/4	10	4413-996	82.11
4-1/2	10	4413-999	84.18
4-3/4	10	4414-002	90.27
5	10	4414-005	91.54
5-1/2	10	4414-008	156.87
6	10	4414-011	186.88
<b>3/4 UNC 3/8" hex</b>			
1-1/2	10	4414-020	62.40
1-3/4	10	4414-023	62.87
2	10	4414-026	59.80
2-1/4	10	4414-029	66.50
2-1/2	10	4414-032	72.19
2-3/4	10	4414-035	75.87
3	10	4414-038	79.27
3-1/4	10	4414-041	92.94
3-1/2	10	4414-044	95.25
3-3/4	10	4414-047	100.70
4	10	4414-050	103.77
4-1/4	10	4414-053	115.85
4-1/2	10	4414-056	117.24
4-3/4	10	4414-059	128.35
5	10	4414-062	128.73
5-1/2	10	4414-065	200.84
6	10	4414-068	228.58

CAMCAR			
ALLOY STEEL			
LENGTH UNDER HEAD	QTY PER BOX	ORDER NO.	PRICE PER BOX
<b>2-56 UNC .050 hex</b>			
3/16	100	4414-070	\$27.46
1/4	100	4414-072	29.21
3/8	100	4414-074	31.40
<b>4-40 UNC 1/16" hex</b>			
3/16	100	4414-078	16.37
1/4	100	4414-080	11.42
3/8	100	4414-083	12.18
1/2	100	4414-089	13.01
<b>6-32 UNC 5/64" hex</b>			
3/16	100	4414-095	17.21
1/4	100	4414-101	11.75
3/8	100	4414-107	12.00
1/2	100	4414-110	12.76
5/8	100	4414-113	13.43
<b>8-32 UNC 3/32" hex</b>			
1/4	100	4414-125	12.76
3/8	100	4414-131	13.26
1/2	100	4414-134	13.43
5/8	100	4414-137	15.28
3/4	100	4414-140	15.95
1	100	4414-143	17.05
<b>10-24 UNC 1/8" hex</b>			
1/4	100	4414-152	12.68
3/8	100	4414-155	12.93
1/2	100	4414-158	13.43
5/8	100	4414-161	15.19
3/4	100	4414-164	16.29
7/8	100	4414-167	18.47
1	100	4414-170	19.14
<b>10-32 UNC 1/8" hex</b>			
1/4	100	4414-302	12.68
3/8	100	4414-305	12.93
1/2	100	4414-311	13.43
5/8	100	4414-314	15.19
3/4	100	4414-317	16.29
7/8	100	4414-320	18.47
1	100	4414-323	19.14
<b>1/4-20 UNC 1/16 hex</b>			
3/8	100	4414-176	14.44
1/2	100	4414-179	14.69
5/8	100	4414-182	15.12
3/4	100	4414-185	15.70
7/8	100	4414-188	18.05
1	100	4414-191	18.30
1-1/4	100	4414-194	22.42
1-1/2	100	4414-197	24.35

CAMCAR			
ALLOY STEEL			
LENGTH UNDER HEAD	QTY PER BOX	ORDER NO.	PRICE PER BOX
<b>1/4-28 UNF 1/4" hex</b>			
3/8	100	4414-329	\$14.44
1/2	100	4414-332	14.69
5/8	100	4414-335	15.12
3/4	100	4414-338	15.70
1	100	4414-344	18.30
<b>5/16-18 UNC 5/16" hex</b>			
3/8	100	4414-203	18.89
1/2	100	4414-206	19.05
5/8	100	4414-209	22.59
3/4	100	4414-212	22.92
7/8	100	4414-215	25.19
1	100	4414-218	25.60
1-1/4	100	4414-221	40.72
1-1/2	100	4414-224	42.99
<b>5/16-24 UNF 5/16" hex</b>			
3/8	100	4414-350	18.89
1/2	100	4414-353	19.05
5/8	100	4414-356	22.59
3/4	100	4414-359	22.92
1	100	4414-365	25.60
<b>3/8-16 UNC 3/8" hex</b>			
1/2	100	4414-230	28.13
5/8	100	4414-233	31.07
3/4	100	4414-236	33.08
7/8	100	4414-239	36.35
1	100	4414-242	36.67
1-1/4	100	4414-245	36.77
1-1/2	100	4414-248	45.92
<b>3/8-24 UNF 3/8" hex</b>			
1/2	100	4414-371	28.12
3/4	100	-	-
1	100	4414-380	36.67
<b>1/2-13 UNC 5/16" hex</b>			
1	25	4414-260	29.13
1-1/4	25	4414-263	34.46
1-1/2	25	4414-266	38.45
2	25	4414-272	49.28

# Socket Set Screws - Cup Point

Alloy Steel Heat Treated - Class 3A Thread Fit Standard - Complete Traceability




AMCAR ALLOY STEEL			
LENGTH UNDER HEAD	QTY PER BOX	ORDER NO.	PRICE PER BOX
<b>2-56 UNC .035 hex</b>			
1/16	100	4411-449	\$40.63
3/32	100	4411-450	42.31
1/8	100	4411-452	42.81
3/16	100	4411-455	44.75
1/4	100	4411-458	45.34
<b>3-48 UNC .050 hex</b>			
3/32	100	4411-463	33.25
1/8	100	4411-464	33.58
3/16	100	4411-467	34.08
1/4	100	4411-470	34.42
<b>4-40 UNC .050 hex</b>			
1/8	100	4411-473	11.42
3/16	100	4411-476	11.58
1/4	100	4411-479	11.67
5/16	100	4411-482	11.84
3/8	100	4411-485	12.59
1/2	100	4411-491	14.78
5/8	100	4411-494	17.88
<b>4-48 UNF .050 hex</b>			
1/8	100	4411-962	11.42
3/16	100	4411-965	11.58
1/4	100	4411-968	11.67
<b>5-40 UNC 1/16 hex</b>			
1/8	100	4411-497	12.26
3/16	100	4411-500	12.51
1/4	100	4411-503	12.76
5/16	100	4411-506	12.93
3/8	100	-	-
1/2	100	4411-515	15.12
5/8	100	4411-518	15.70
3/4	100	4411-521	16.45
<b>5-44 UNF 1/16 hex</b>			
1/8	100	4411-977	12.26
<b>6-32 UNC 1/16 hex</b>			
1/8	100	4411-524	13.43
3/16	100	4411-527	12.00
1/4	100	4411-530	12.18
5/16	100	4411-533	12.34
3/8	100	4411-536	12.51
1/2	100	4411-542	13.26
5/8	100	4411-545	17.88
3/4	100	4411-548	19.98
7/8	100	4411-551	27.71
1	100	4411-554	29.72
<b>6-40 UNF 1/16 hex</b>			
1/8	100	4411-986	13.43
3/16	100	4411-989	12.00
1/4	100	4411-992	12.18
3/8	100	4411-998	12.51
<b>8-32 UNC 5/64 hex</b>			
1/8	100	4411-557	11.17
3/16	100	4411-560	11.33
1/4	100	4411-563	11.50
5/16	100	4411-566	11.75
3/8	100	4411-569	12.09

AMCAR ALLOY STEEL			
LENGTH UNDER HEAD	QTY PER BOX	ORDER NO.	PRICE PER BOX
<b>8-32 UNC 5/64 hex</b>			
7/16	100	-	-
1/2	100	4411-575	\$13.69
5/8	100	4411-578	18.72
3/4	100	4411-581	19.81
7/8	100	4411-584	26.36
1	100	4411-587	29.21
<b>8-36 UNF 5/64 hex</b>			
1/8	100	-	-
3/16	100	-	-
1/4	100	4412-007	11.50
3/8	100	4412-013	12.09
<b>10-24 UNC 3/32 hex</b>			
3/16	100	4411-590	11.50
1/4	100	4411-593	11.75
5/16	100	4411-596	12.09
3/8	100	4411-599	13.01
1/2	100	4411-602	14.02
5/8	100	4411-605	14.61
3/4	100	4411-608	16.54
7/8	100	4411-611	27.71
1	100	4411-617	30.56
1-1/4	100	4411-620	31.99
<b>10-32 UNF 3/32 hex</b>			
3/16	100	4412-022	11.50
1/4	100	4412-025	11.75
5/16	100	4412-028	12.09
3/8	100	4412-031	13.01
1/2	100	4412-037	14.02
5/8	100	4412-040	14.61
3/4	100	4412-043	16.54
1	100	4412-049	30.56
1-1/4	100	4412-052	31.99
<b>1/4-20 UNC 1/8 hex</b>			
3/16	100	4411-626	12.59
1/4	100	4411-629	11.50
5/16	100	4411-632	11.75
3/8	100	4411-635	12.85
1/2	100	4411-641	13.60
5/8	100	4411-644	16.29
3/4	100	4411-647	18.47
7/8	100	4411-650	23.34
1	100	4411-653	26.53
1-1/4	100	4411-656	33.58
1-1/2	100*	4411-659	42.23
1-3/4	100*	4411-662	53.98
2	100*	4411-665	61.54
<b>1/4-28 UNF 1/8 hex</b>			
3/16	100	4412-061	12.59
1/4	100	4412-064	11.50
5/16	100	4412-067	11.75
3/8	100	4412-070	12.85
1/2	100	4412-076	13.60
5/8	100	4412-079	16.29
3/4	100	4412-082	18.47
1	100	4412-085	26.53
1-1/4	100	4412-088	33.58

(Continued)

# Socket Set Screws - Cup Point (Continued)

Alloy Steel Heat Treated -  
Class 3A Thread Fit Standard -  
Complete Traceability




CAMCAR			
ALLOY STEEL			
LENGTH UNDER HEAD	QTY PER BOX	ORDER NO.	PRICE PER BOX
5/16-18 UNC 5/32 hex			
1/4	100	4411-671	\$13.77
5/16	100	4411-674	13.01
3/8	100	4411-677	13.18
7/16	100	4411-680	13.51
1/2	100	4411-683	13.77
5/8			
3/4	100	4411-686	17.46
7/8	100	4411-689	20.15
1	100	4411-692	28.21
1-1/4	100	4411-695	30.06
1-1/4	100	4411-698	34.42
1-1/2			
1-3/4	100*	4411-701	45.59
2	100*	4411-704	56.33
2	100*	4411-707	59.86
5/16-24 UNF 5/32 hex			
1/4	100	4412-094	13.77
5/16	100	4412-097	13.01
3/8	100	4412-100	13.18
1/2	100	4412-106	13.77
5/8	100	4412-109	17.46
3/4			
1	100	4411-687	20.15
1	100	4412-118	30.06
3/8-16 UNC 3/16 hex			
1/4	100	4411-713	16.96
5/16	100	4411-716	18.05
3/8	100	4411-719	15.12
7/16	100	-	-
1/2	100	4411-725	17.63
5/8			
3/4	100	4411-728	20.40
7/8	100	4411-731	21.83
1	100	-	-
1	100	4411-737	30.06
1-1/4	100	4411-740	38.12
1-1/2			
1-1/2	100	4411-743	49.62
1-3/4	100	4411-746	60.28
2	100	-	-
2-1/2	100	4411-752	76.40
3/8-24 UNF 3/16 hex			
1/4	100	4412-124	16.96
3/8	100	4412-130	15.12
1/2	100	4412-136	17.63

CAMCAR			
ALLOY STEEL			
LENGTH UNDER HEAD	QTY PER BOX	ORDER NO.	PRICE PER BOX
3/8-24 UNF 3/16 hex			
5/8	100	4412-139	\$20.40
3/4	100	4412-142	21.83
1	100	4412-148	30.06
1-1/4	100	4412-151	38.12
1-1/2	100	4412-134	49.62
7/16-14 UNC 7/32 hex			
3/8	100	-	-
7/16	100	4411-758†	35.06
1/2	100	4411-761	36.61
5/8	100	4411-764	39.96
3/4	100	4411-767	43.15
7/8	50	-	-
7/16-14 UNC 7/32 hex			
1	100*	4411-773	55.66
1-1/4	100*	4411-776	59.77
1-1/2	100*	4411-779	69.77
2	50	4411-782	43.95
7/16-20 UNF 7/32 hex			
3/8	100	4412-163	33.91
7/16	100	-	-
1/2	100	4412-169	36.61
1/2-13 UNC 1/4 hex			
3/8	100	4411-794	44.48
1/2	100	4411-800	43.88
5/8	100	4411-803	48.24
3/4	100	4411-806	49.96
7/8	100*	4411-809	55.86
1			
1	100*	4411-812	63.13
1-1/4	100*	4411-815	79.38
1-1/2	100*	4411-818	88.36
1-3/4	50◇	4411-821	51.15
2	50◇	4411-824	57.91
2-1/2			
2-1/2	50◇	4411-830	74.55
3	50◇	4411-833	77.58
1/2-20 UNF 1/4 hex			
1/2	100	4412-187	43.88
3/4	100	4412-193	49.96
1	100	4412-196	63.13

# Socket Flat Countersunk Head Cap Screws

Alloy Steel Heat Treated -  
Class 3A Thread Fit Standard -  
Complete Traceability



AMCAR ALLOY STEEL				
LENGTH UNDER HEAD	QTY PER BOX	ORDER NO.	PRICE PER BOX.	
2-56 UNC .050 hex				
3/16	100	4414-382	\$31.15	
1/4	100	4414-385	33.50	
3/8	100	4414-387	36.44	
1/2	100	4414-390	39.12	
4-40 UNC 1/16 hex				
1/4	100	4414-392	15.12	
3/8	100	4414-395	15.62	
1/2	100	4414-398	16.54	
5/8	100	4414-401	17.30	
3/4	100	4414-404	19.73	
5-40 UNC 5/64 hex				
1/4	100	4414-413	15.92	
3/8	100	4414-416	16.29	
1/2	100	4414-419	17.30	
5/8	100	4414-422	19.14	
3/4	100	4414-425	21.66	
6-32 UNC 5/64 hex				
1/4	100	4414-434	16.96	
3/8	100	4414-440	17.38	
1/2	100	4414-443	17.88	
5/8	100	4414-446	19.39	
3/4	100	4414-449	19.81	
1	100	4414-451	23.42	
8-32 UNC 3/32 hex				
3/8	100	4414-458	17.80	
1/2	100	4414-461	18.49	
5/8	100	4414-464	18.89	
3/4	100	4414-467	20.66	
1	100	4414-473	23.00	
10-24 UNC 1/8 hex				
3/8	100	4414-482	17.21	
1/2	100	4414-485	18.76	
5/8	100	4414-488	19.65	
3/4	100	4414-491	19.81	
1	100	4414-497	23.76	
1-1/4	100	4414-500	30.56	
1-1/2	100	4414-503	35.09	
10-32 UNF 1/8 hex				
3/8	100	4414-773	17.21	
1/2	100	4414-779	18.76	
5/8	100	4414-782	19.65	
3/4	100	4414-785	19.81	
1	100	4414-791	23.76	
1-1/4	100	4414-794	30.56	
1-1/2	100	4414-797	35.09	
1/4-20 UNC 5/32 hex				
3/8	100	4414-506	19.31	
1/2	100	4414-509	18.64	
5/8	100	4414-515	19.81	
3/4	100	4414-518	19.90	
1	100	4414-524	26.67	

AMCAR ALLOY STEEL				
LENGTH UNDER HEAD	QTY PER BOX	ORDER NO.	PRICE PER BOX.	
1/4-20 UNC 5/32 hex				
1-1/4	100	4414-527	\$29.39	
1-1/2	100	4414-530	34.42	
1-3/4	100	4414-533	41.73	
2	100	4414-536	45.34	
2-1/2	100	4414-542	49.62	
1/4-28 UNF 5/32 hex				
3/8	100	4414-809	19.31	
1/2	100	4414-815	18.64	
5/8	100	4414-818	19.81	
3/4	100	4414-821	19.90	
1	100	4414-824	26.67	
1-1/4	100	4414-827	29.39	
1-1/2	100	4414-830	34.42	
5/16-18 UNC 3/16 hex				
1/2	100	4414-548	22.08	
5/8	100	4414-554	23.17	
3/4	100	4414-557	23.51	
7/8	100	4414-560	24.35	
1	100	4414-563	25.19	
1-1/4	100	4414-566	32.15	
1-1/2	100	4414-572	35.68	
1-3/4	100	4414-575	51.22	
2	100	4414-578	56.42	
2-1/4	100	4414-581	65.15	
2-1/2	100	4414-584	73.12	
5/16-24 UNF 3/16 hex				
1/2	100	4414-839	22.08	
5/8	100	4414-842	23.17	
3/4	100	4414-845	23.51	
7/8	100	4414-846	24.35	
1	100	4414-848	25.19	
1-1/4	100	4414-851	32.15	
1-1/2	100	4414-854	35.68	
3/8-16 UNC 7/32 hex				
1/2	100	4414-590	34.08	
5/8	100	4414-593	34.99	
3/4	100	4414-596	35.34	
1	100	4414-602	35.68	
1-1/4	100	4414-605	38.03	
1-1/2	100	4414-608	40.05	
1-3/4	100	4414-611	58.02	
2	100	4414-614	63.81	
2-1/4	100	4414-617	75.90	
2-1/2	50	4414-620	40.97	
3	50	4414-626	48.44	
3/8-24 UNF 7/32 hex				
5/8	100	4414-866	34.99	
3/4	100	4414-869	35.34	
1	100	4414-872	35.68	
1-1/4	100	4414-875	38.03	
1-1/2	100	4414-878	40.05	

AMCAR ALLOY STEEL				
LENGTH UNDER HEAD	QTY PER BOX	ORDER NO.	PRICE PER BOX.	
7/16-14 UNC 7/16 hex				
3/4	100	4414-635	\$ 69.77	
1	100	4414-638	76.66	
1-1/4	100	4414-641	83.96	
1-1/2	100	4414-644	89.67	
1-3/4	100	4414-647	93.87	
2	100	4414-650	97.73	
1/2-13 UNC 5/16 hex				
3/4	100	4414-653	71.43	
1	100	4414-662	74.67	
1-1/4	100	4414-665	86.06	
1-1/2	100	4414-668	90.93	
1-3/4	50	4414-671	51.32	
2	50	4414-674	53.46	
2-1/4	25	4414-677	32.03	
2-1/2	25	4414-680	34.45	
3	25	4414-686	39.33	
1/2-20 UNF 5/16 hex				
3/4	25	4414-884	71.43	
1	25	4414-887	74.67	
1-1/4	25	4414-890	86.06	
1-1/2	25	4414-893	90.93	
1-3/4	25	4414-896	51.32	
2	25	4414-902	53.46	
5/8-11 UNC 3/8 hex				
1-1/4	25	4414-698	40.57	
1-1/2	25	4414-701	44.27	
1-3/4	25	4414-704	51.22	
2	25	4414-707	53.38	
2-1/4	25	-	-	
2-1/2	25	-	-	
3	25	-	-	
3/4-10 UNC 1/2 hex				
1-1/2	25	-	-	
1-3/4	25	-	-	
2	25	-	-	
2-1/2	25	-	-	
3	25	-	-	

# Metric Socket Head Cap Screws

Alloy Steel Heat Treated - Class 12.9 - Complete Traceability




3

SIZE	L'GTH UNDER HEAD MM	HEX KEY MM	QTY PER BOX	ORDER NO.	PRICE PER BOX	SIZE	L'GTH UNDER HEAD MM	HEX KEY MM	QTY PER BOX	ORDER NO.	PRICE PER BOX	SIZE	L'GTH UNDER HEAD MM	HEX KEY MM	QTY PER BOX	ORDER NO.	PRICE PER BOX
M 3.0 x 0.50 x 6	2.5	100	4460-003	\$14.97	M 6.0 x 1.00 x 20	5	100	4460-077	\$16.97	M 10.0 x 1.50 x 60	8	50	4460-151	\$26.78			
M 3.0 x 0.50 x 8	2.5	100	4460-005	13.47	M 6.0 x 1.00 x 25	5	100	4460-079	18.13	M 10.0 x 1.50 x 70	8	50	4460-155	34.63			
M 3.0 x 0.50 x 10	2.5	100	4460-007	13.64	M 6.0 x 1.00 x 30	5	100	4460-081	19.46	M 12.0 x 1.75 x 25	10	50	4460-165	30.22			
M 3.0 x 0.50 x 12	2.5	100	4460-009	14.22	M 6.0 x 1.00 x 35	5	100	4460-083	22.45	M 12.0 x 1.75 x 20	10	50	4460-167	31.40			
M 3.0 x 0.50 x 16	2.5	100	4460-011	14.47	M 6.0 x 1.00 x 40	5	100	4460-085	23.70	M 12.0 x 1.75 x 30	10	50	4460-169	32.32			
M 3.0 x 0.50 x 20	2.5	100	4460-013	14.97	M 8.0 x 1.25 x 12	6	100	4460-103	19.64	M 12.0 x 1.75 x 35	10	50	4460-171	36.27			
M 3.0 x 0.50 x 25	2.5	100	4460-015	17.88	M 8.0 x 1.25 x 16	6	100	4460-105	20.06	M 12.0 x 1.75 x 40	10	50	4460-173	41.85			
M 4.0 x 0.70 x 8	3	100	4460-025	13.64	M 8.0 x 1.25 x 20	6	100	4460-107	20.99	M 12.0 x 1.75 x 45	10	50	4460-175	45.59			
M 4.0 x 0.70 x 10	3	100	4460-027	13.89	M 8.0 x 1.25 x 25	6	100	4460-109	23.17	M 12.0 x 1.75 x 50	10	50	4460-177	48.32			
M 4.0 x 0.70 x 12	3	100	4460-029	14.47	M 8.0 x 1.25 x 30	6	100	4460-111	24.68	M 12.0 x 1.75 x 55	10	25	4460-179	26.24			
M 4.0 x 0.70 x 16	3	100	4460-031	15.14	M 8.0 x 1.25 x 35	6	100	4460-113	26.86	M 12.0 x 1.75 x 60	10	25	4460-181	27.94			
M 4.0 x 0.70 x 20	3	100	4460-033	16.22	M 8.0 x 1.25 x 40	6	100	4460-115	28.29	M 16.0 x 2.00 x 30	14	25	4460-199	35.01			
M 4.0 x 0.70 x 25	3	100	4460-035	18.30	M 8.0 x 1.25 x 50	6	100	4460-119	34.16	M 16.0 x 2.00 x 35	14	25	4460-201	38.49			
M 5.0 x 0.80 x 10	4	100	4460-049	14.97	M 10.0 x 1.50 x 16	8	100	4460-133	29.72	M 16.0 x 2.00 x 40	14	25	4460-203	38.87			
M 5.0 x 0.80 x 12	4	100	4460-051	16.22	M 10.0 x 1.50 x 20	8	100	4460-135	30.06	M 16.0 x 2.00 x 45	14	25	4460-205	42.78			
M 5.0 x 0.80 x 16	4	100	4460-053	16.97	M 10.0 x 1.50 x 25	8	100	4460-137	30.81	M 16.0 x 2.00 x 50	14	25	4460-207	44.17			
M 5.0 x 0.80 x 20	4	100	4460-055	17.47	M 10.0 x 1.50 x 30	8	100	4460-139	32.24	M 16.0 x 2.00 x 55	14	25	4460-209	47.71			
M 5.0 x 0.80 x 25	4	100	4460-057	17.96	M 10.0 x 1.50 x 35	8	100	4460-142	35.26	M 16.0 x 2.00 x 60	14	25	4460-211	49.49			
M 5.0 x 0.80 x 30	4	100	4460-059	18.88	M 10.0 x 1.50 x 40	8	100	4460-143	38.03								
M 6.0 x 1.00 x 12	5	100	4460-073	15.30	M 10.0 x 1.50 x 45	8	50	4460-145	20.15								
M 6.0 x 1.00 x 16	5	100	4460-075	16.22	M 10.0 x 1.50 x 50	8	50	4460-147	21.54								

# Camcar Metric Socket Button Head Cap Screws

Alloy Steel Heat Treated - Class 3A Thread Fit Standard - Complete Traceability




3

SIZE	L'GTH UNDER HEAD MM	HEX KEY MM	QTY PER BOX	ORDER NO.	PRICE PER BOX	SIZE	L'GTH UNDER HEAD MM	HEX KEY MM	QTY PER BOX	ORDER NO.	PRICE PER BOX	SIZE	L'GTH UNDER HEAD MM	HEX KEY MM	QTY PER BOX	ORDER NO.	PRICE PER BOX
M 3.0 x 0.50 x 8	2	100	4460-405	\$11.75	M 5.0 x 0.80 x 10	3	100	4460-419	\$13.76	M 6.0 x 1.00 x 25	4	100	4460-439	\$19.64			
M 3.0 x 0.50 x 10	2	100	4460-407	12.00	M 5.0 x 0.80 x 12	3	100	4460-421	14.11	M 8.0 x 1.25 x 12	5	100	4460-445	19.82			
M 3.0 x 0.50 x 12	2	100	4460-409	12.59	M 5.0 x 0.80 x 16	3	100	4460-423	15.53	M 8.0 x 1.25 x 16	5	100	4460-447	20.06			
M 4.0 x 0.70 x 8	2.5	100	4460-411	13.26	M 6.0 x 1.00 x 10	4	100	4460-431	14.27	M 8.0 x 1.25 x 20	5	100	4460-449	20.24			
M 4.0 x 0.70 x 10	2.5	100	4460-413	13.76	M 6.0 x 1.00 x 12	4	100	4460-433	14.78	M 8.0 x 1.25 x 25	5	100	4460-451	23.34			
M 4.0 x 0.70 x 12	2.5	100	4460-415	14.19	M 6.0 x 1.00 x 16	4	100	4460-435	16.20	M 8.0 x 1.25 x 30	5	100	4460-453	26.03			
M 4.0 x 0.70 x 16	2.5	100	4460-417	15.53	M 6.0 x 1.00 x 20	4	100	4460-437	17.21	M 8.0 x 1.25 x 40	5	100	4477-133	28.59			

# Camcar Metric Socket Flat Countersunk Head Cap Screws

Alloy Steel Heat Treated - Complete Traceability



3

SIZE	L'GTH UNDER HEAD MM	HEX KEY MM	QTY PER BOX	ORDER NO.	PRICE PER BOX	SIZE	L'GTH UNDER HEAD MM	HEX KEY MM	QTY PER BOX	ORDER NO.	PRICE PER BOX	SIZE	L'GTH UNDER HEAD MM	HEX KEY MM	QTY PER BOX	ORDER NO.	PRICE PER BOX
M 3.0 x 0.50 x 8	2	100	4460-277	\$15.95	M 5.0 x 0.80 x 16	3	100	4460-307	\$20.23	M 8.0 x 1.25 x 16	5	100	4460-337	\$29.21			
M 3.0 x 0.50 x 10	2	100	4460-279	17.12	M 5.0 x 0.80 x 20	3	100	4460-309	20.66	M 8.0 x 1.25 x 20	5	100	4460-339	29.89			
M 3.0 x 0.50 x 12	2	100	4460-281	17.63	M 5.0 x 0.80 x 25	3	100	4460-311	23.60	M 8.0 x 1.25 x 25	5	100	4460-341	31.07			
M 3.0 x 0.50 x 16	2	100	4460-283	18.80	M 6.0 x 1.00 x 12	4	100	4460-319	19.31	M 8.0 x 1.25 x 30	5	100	4460-343	32.83			
M 4.0 x 0.70 x 8	2.5	100	4460-287	17.12	M 6.0 x 1.00 x 16	4	100	4460-321	19.81	M 8.0 x 1.25 x 35	5	100	4460-345	35.94			
M 4.0 x 0.70 x 10	2.5	100	4460-289	17.55	M 6.0 x 1.00 x 20	4	100	4460-323	21.41	M 10.0 x 1.50 x 20	6	100	4460-351	37.44			
M 4.0 x 0.70 x 12	2.5	100	4460-291	18.30	M 6.0 x 1.00 x 25	4	100	4460-325	24.68	M 10.0 x 1.50 x 25	6	100	4460-353	37.78			
M 4.0 x 0.70 x 16	2.5	100	4460-293	18.80	M 6.0 x 1.00 x 30	4	100	4460-327	28.63	M 10.0 x 1.50 x 30	6	100	4460-355	40.97			
M 5.0 x 0.80 x 10	3	100	4460-303	19.65	M 6.0 x 1.00 x 35	4	100	4460-329	32.83								
M 5.0 x 0.80 x 12	3	100	4460-305	19.81	M 8.0 x 1.25 x 12	5	100	4477-057	28.59								

# Dowel Pins

Alloy Steel Heat Treated - Standard Size +.0002 Over Nominal Diameter  
Oversize +.001 Over Nominal Diameter



DIA.		Pittsburg ALLOY STEEL		CAMCAR ALLOY STEEL	
LENGTH OVER- ALL	QTY PER BOX	ORDER NO.	PRICE PER BOX	ORDER NO.	PRICE PER BOX
<b>1/16" dia</b>					
3/16	100	-	-	4415-766	\$18.99
1/4	100	-	-	4415-769	19.25
3/8	100	3185-020†	\$7.78	4415-775	19.51
1/2	100	-	-	4415-781	20.38
5/8	100	-	-	4415-784	20.56
3/4	100	3185-040†	9.32	4415-787	20.82
7/8	100	3185-045†	10.02	-	-
1	100	3185-050†	11.38	-	-
<b>3/32" dia</b>					
3/16	100	-	-	4415-736	18.03
1/4	100	-	-	4415-739	18.13
5/16	100	-	-	4415-742	18.21
3/8	100	-	-	4415-745	18.38
7/16	100	-	-	4415-748	18.99
1/2	100	3185-080†	6.67	4415-751	19.34
5/8	100	3185-085†	6.75	4415-754	19.69
3/4	100	3185-090†	6.83	4415-757	19.86
7/8	100	3185-095†	7.78	-	-
1	100	3185-100†	8.00	4415-763	20.04
<b>1/8" dia</b>					
1/4	100	3185-105†	4.37	-	-
3/8	100	3185-110†	5.19	4415-802	18.73
1/2	100	3185-115†	5.29	4415-808	18.99
5/8	100	-	-	4415-811	19.16
3/4	100	-	-	4415-814	20.10
7/8	100	3185-130†	5.87	4415-817	21.73
1	100	-	-	4415-820	23.61
1-1/8	100	3185-140†	6.49	-	-
1-1/4	100	3185-145†	6.95	4415-826	24.21
1-3/8	100	3185-150†	9.29	-	-
1-1/2	100	-	-	4415-832	27.97
1-3/4	100	3185-160†	8.70	4415-835	30.54
2	100	3185-165†	10.52	4415-838	33.53
<b>3/16" dia</b>					
1/2	100	3185-175†	6.13	4415-841	20.18
5/8	100	-	-	4415-844	20.70
3/4	100	-	-	4415-847	22.24
7/8	100	3185-190†	7.16	4415-850	23.61
1	100	3185-195†	7.37	4415-853	24.64
1-1/4	100	3185-205†	8.43	4415-859	27.37
1-1/2	100	-	-	4415-865	30.28
1-3/4	100	3185-225†	10.67	4415-868	33.62
2	100	3185-230†	12.44	4415-871	37.38
<b>1/4" dia</b>					
1/2	100	-	-	4415-874	22.67
5/8	100	-	-	4415-877	23.87
3/4	100	3185-245†	9.30	4415-880	24.30
7/8	100	3185-250†	9.71	4415-883	26.52
1	100	3185-255†	10.22	4415-886	27.20
1-1/4	100	-	-	4415-892	29.59
1-1/2	100	-	-	4415-898	33.19
1-3/4	100	-	-	4415-901	37.55
2	100	-	-	4415-904	41.57
2-1/4	100	3185-290†	18.40	4415-907	50.72
2-1/2	100	3185-295†	21.44	4415-910	51.67

† Limited Quantities

DIA.		Pittsburg ALLOY STEEL		CAMCAR ALLOY STEEL	
LENGTH OVER- ALL	QTY PER BOX	ORDER NO.	PRICE PER BOX	ORDER NO.	PRICE PER BOX
<b>5/16" dia</b>					
1/2	100	3185-300†	\$11.86	4415-919	\$27.89
5/8	100	3185-305†	12.27	4415-922	29.26
3/4	-	-	-	4415-925	30.19
7/8	100	3185-320†	13.30	4415-928	30.95
1	-	-	-	4415-931	31.05
1-1/8	100	3185-330†	14.33	-	-
1-1/4	-	-	-	4415-937	34.38
1-1/2	-	-	-	4415-943	38.50
1-3/4	50	3185-350†	10.02	4415-946	46.70
2	50	3185-355†	11.47	4415-952	50.39
2-1/4	50	3185-360†	12.53	-	-
2-1/2	-	-	-	4415-958	62.70
3	-	-	-	4415-961	74.93
<b>3/8" dia</b>					
1/2	100	3185-375†	15.84	4415-967	6.84
5/8	-	-	-	4415-970	7.10
3/4	-	-	-	4415-973	7.29
7/8	100	3185-390†	18.57	4415-976	7.48
1	100	3185-395†	19.46	4415-979	7.58
1-1/4	-	-	-	4415-985	8.13
1-1/2	100	3185-410†	25.37	4415-991	9.24
1-3/4	50	3185-415†	14.67	4415-994	10.61
2	50	3185-420†	15.79	4415-997	11.67
2-1/4	50	3185-425†	18.90	4416-000	12.76
2-1/2	50	3185-430†	19.86	4416-003	14.54
3	50	3185-440†	25.40	4416-009	17.95
<b>7/16" dia</b>					
1	50	3185-455†	17.73	4416-021	14.08
1-1/4	50	3185-460†	18.83	-	-
1-1/2	50	3185-465†	19.78	4416-027	16.27
2	50	3185-475†	27.63	-	-
2-1/2	50	3185-485†	32.00	-	-
3	50	3185-495†	37.33	-	-
<b>1/2" dia</b>					
3/4	20	3185-505†	7.12	4416-051	15.07
1	20	3185-520†	8.00	4416-057	15.96
1-1/4	20	3185-525†	8.48	4416-060	17.01
1-1/2	20	3185-530†	9.20	4416-063	18.07
1-3/4	20	3185-540†	10.56	4416-066	19.23
2	-	-	-	4416-069	21.39
2-1/4	20	3185-550†	13.02	4416-072	24.04
2-1/2	20	3185-555†	14.90	4416-075	25.76
3	20	3185-565†	16.48	4416-081	30.66
3-1/2	20	3185-570†	20.41	-	-
<b>5/8" dia</b>					
1-1/4	10	3185-585†	8.10	4416-099	13.68
1-1/2	10	3185-590†	10.13	4416-102	14.23
1-3/4	10	3185-595†	10.42	4416-106	16.50
2	10	3185-600†	10.84	4416-108	17.86
2-1/4	10	3185-605†	11.56	-	-
2-1/2	-	-	-	4416-114	21.02
3	-	-	-	4416-120	24.94
4-1/2	10	3185-630†	24.51	-	-
<b>3/4" dia</b>					
1-3/4	10	3185-645†	15.87	-	-
2	10	3185-650†	16.35	-	-
4	10	3185-675†	33.50	-	-
<b>1" dia</b>					
2	10	3185-695†	34.67	-	-

# Maintenance Kits

## Cotter Pins



### Contents:

- 130 1/16" x 1"
- 100 1/8" x 1-1/4"
- 80 1/8" x 2"
- 150 3/32" x 1"
- 100 3/32" x 1-3/4"
- 40 5/32" x 2-1/2"

Strong and flexible zinc plated steel pins with one prong extended for easy insertion and bending. Pins also have chisel point ends.

PIECES	ORDER NO.	PRICE EACH
600	3237-605	\$31.75

## E-Clips



### Contents:

- 30 1/8" 30 3/8"
- 20 5/32" 25 7/16"
- 30 3/16" 20 1/2"
- 20 7/32" 15 5/8"
- 30 1/4" 10 3/4"
- 30 5/16" 5 7/8"

External clips made of carbon steel to retain positive retention of pulleys, sprockets, springs and bearings on shafts and rods.

PIECES	ORDER NO.	PRICE EACH
265	3237-610	\$32.55

## Roll Pins



### Contents:

- 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", and 3/8" diameters. Four lengths included for each diameter.

Made of flexible spring steel, cold rolled, hardened and tempered. Chamfered ends simplify insertion.

PIECES	ORDER NO.	PRICE EACH
300	3237-625	\$38.82

## Hitch Pin Clips



### Contents:

- 60 1/16" #18
- 30 3/32" #3
- 20 3/32" #7
- 20 1/8" #16
- 15 5/32" #10
- 5 3/16" #6

Reusable, quick release pins for fast assembly and disassembly. Made of spring steel to maintain tension.

PIECES	ORDER NO.	PRICE EACH
150	3237-615	\$31.07

## Housing Rings





### Contents:

- 15 1/2" 10 1-1/16"
- 15 5/8" 10 1-1/8"
- 15 11/16" 10 1-1/4"
- 15 3/4" 5 1-3/8"
- 15 13/16" 5 1-1/2"
- 15 7/8" 5 1-5/8"
- 10 1" 5 1-3/4"

Internal rings with tapered design maintains constant pressure to prevent slippage of axles, gears and bearings inside machinery housing.

PIECES	ORDER NO.	PRICE EACH
150	3237-620	\$35.91

## Set Screws



### Contents:

- 10 6-32 x 3/16"
- 10 8-32 x 3/16"
- 10 10-24 x 1/4"
- 30 1/4-20 x 1/4"
- 20 1/4-28 x 1/4"
- 20 1/4-20 x 3/8"
- 30 5/16-18 x 3/8"
- 20 5/16-24 x 3/8"
- 20 5/16-18 x 1/2"
- 10 3/8-16 x 3/8"
- 10 3/8-24 x 3/8"
- 10 3/8-16 x 1/2"

High grade alloy steel set screws with hexagon recessed heads. Ends have cup points for positive torque.

PIECES	ORDER NO.	PRICE EACH
200	3237-650	\$33.98

## O Rings



### Contents:

140 pieces of 1/16" body, 80 pieces of 3/32" body, and 80 pieces of 1/8" body. Various sizes are included for each body size.

Made of BUNA-N 70 durometer rubber compound. Creates a tight seal for fluid or gas connections.

PIECES	ORDER NO.	PRICE EACH
300	3237-630	\$51.92

## Snap Rings



### Contents:

- 30 1/4" 30 5/8"
- 20 5/16" 35 3/4"
- 50 3/8" 10 13/16"
- 20 7/16" 20 7/8"
- 50 1/2" 10 1"
- 20 9/16" 5 1-1/4"

External, spring steel snap rings used to retain pulleys, gears or wheels on shafts.

PIECES	ORDER NO.	PRICE EACH
300	3237-600	\$37.57

## Machinery Keys



### Contents:

- 3 1/8" x 1/8" x 3/4"
- 3 1/8" x 1/8" x 1"
- 5 3/16" x 3/16" x 3/4"
- 5 3/16" x 3/16" x 1"
- 5 3/16" x 3/16" x 1-1/4"
- 5 1/4" x 1/4" x 3/4"
- 5 1/4" x 1/4" x 1-1/4"
- 5 1/4" x 1/4" x 1-1/2"
- 5 5/16" x 5/16" x 1-1/4"
- 5 5/16" x 5/16" x 1-1/2"
- 5 3/8" x 3/8" x 1-1/4"
- 5 3/8" x 3/8" x 1-1/2"
- 2 1/2" x 1/2" x 1-1/2"

Zinc plated steel, square keys have chamfered ends for easy insertion into keyways.

PIECES	ORDER NO.	PRICE EACH
58	3237-655	\$51.44

## Socket Head Cap Screws



### Contents:

- 10 10-24 x 1"
- 10 6-32 x 1/2"
- 10 6-32 x 1"
- 10 8-32 x 1/2"
- 10 8-32 x 3/4"
- 10 8-32 x 1"
- 10 10-32 x 1/2"
- 10 10-32 x 3/4"
- 10 10-32 x 1"
- 10 10-24 x 1/2"
- 10 1/4-20 x 1/2"
- 10 1/4-20 x 3/4"
- 10 1/4-20 x 1"
- 10 1/4-20 x 1-1/4"
- 10 1/4-20 x 1-1/2"
- 10 1/4-28 x 3/4"
- 10 1/4-28 x 1"
- 10 1/4-28 x 1-1/4"
- 10 1/4-28 x 1-1/2"

High grade alloy steel socket head screws with hexagon recessed heads.

PIECES	ORDER NO.	PRICE EACH
190	3237-670	\$36.05